

Health & Care Information Model:

nl.zorg.VisualAcuity-v2.2

Status: Final

Release: 2026-1

Release status: Prepublished

Managed by:



Content

1. nl.zorg.VisualAcuity-v2.2	3
1.1 Revision History	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose	3
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances	7
1.9 Instructions	7
1.10 Interpretation	7
1.11 Care Process	7
1.12 Example of the Instrument	7
1.13 Constraints	7
1.14 Issues	8
1.15 References	8
1.16 Functional Model	8
1.17 Traceability to other Standards	8
1.18 Disclaimer	8
1.19 Terms of Use	8
1.20 Copyrights	8

1. nl.zorg.VisualAcuity-v2.2

DCM::CoderList	*
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	*
DCM::CreationDate	15-06-2020
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	*
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.12.19
DCM::KeywordList	
DCM::LifecycleStatus	Final
DCM::ModelerList	*
DCM::Name	nl.zorg.Visus
DCM::PublicationDate	17-04-2026
DCM::PublicationStatus	Prepublished
DCM::ReviewerList	
DCM::RevisionDate	16-04-2025
DCM::Supersedes	nl.zorg.Visus-v2.1.1
DCM::Version	2.2
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (01-09-2020)

Publicatieversie 2.0 (01-12-2021)

Bevat: ZIB-1412, ZIB-1441, ZIB-1442, ZIB-1445, ZIB-1567.

Publicatieversie 2.1 (10-06-2022)

Bevat: ZIB-1595.

Publicatieversie 2.1.1 (15-10-2023)

Bevat: ZIB-2020.

Publicatieversie 2.2 (24-04-2024)

Bevat: ZIB-2741.

1.2 Concept

Visual acuity is a measurement of sharpness of vision. It is a measure of the smallest details that someone can still distinguish.

1.3 Mindmap

1.4 Purpose


The aim is to determine the patient's visual functioning based on their visual acuity.

1.5 Patient Population

Adults and children from the age that they can interpret a picture chart.

1.6 Evidence Base

1.7 Information Model



«rootconcept»	VisualAcuity	
Definitie	Root concept of the VisualAcuity information model.This root concept contains all data elements of the VisualAcuity information model.	
Datatype		
DCM::ConceptId	NL-CM:12.19.1	
DCM::DefinitionCode	SNOMED CT: 260246004 Visual acuity finding	
Opties		

«data»	VisualAcuityMeasurementDevice	
Definitie	The device used measuring the visual acuity.	
Datatype	CD	
DCM::ConceptId	NL-CM:12.19.6	
DCM::DefinitionCode	SNOMED CT: 400912000 Visual acuity test equipment	
DCM::ExampleValue	with multiple pinholes	
DCM::ValueSet	VisualAcuityMeasurementDeviceCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.19.4
Opties		

«data»	VisualAcuityType	
Definitie	Type of visual acuity measurement.	
Datatype	CD	
DCM::ConceptId	NL-CM:12.19.2	
DCM::DefinitionCode	SNOMED CT: 16830007 Visual acuity testing	
DCM::ValueSet	VisusAcuityTypeCodelist	OID:2.16.840.1.113883.2.4.3.11.60.40.2.12.19.2
Opties		

«data»	VisualAcuityMeasurementChart	
Definitie	The type of chart used for the visual acuity measurement.	
Datatype	CD	
DCM::ConceptId	NL-CM:12.19.7	
DCM::DefinitionCode	SNOMED CT: 421763006 Visual acuity chart	
DCM::ExampleValue	APK-TOV	
DCM::ValueSet	VisualAcuityMeasurementChartCodelist	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.19.3
Opties		

«data»	DistanceFromChart	
Definitie	Distance to the chart in meters.	
Datatype	PQ	
DCM::ConceptId	NL-CM:12.19.8	
DCM::DefinitionCode	SNOMED CT: 152731000146106 Distance to visual acuity chart	
DCM::ExampleValue	4 meter	
Opties		

«data»	VisualAcuityValue	
Definitie	The measured visual acuity.	
Datatype	PQ	
DCM::ConceptId	NL-CM:12.19.11	
DCM::DefinitionCode	SNOMED CT: 363983007 Visual acuity	
DCM::ExampleValue	0.125	
Opties		

«data»	VisualAcuityDateTime	
Definitie	The date and time when the visual acuity was measured.	
Datatype	TS	
DCM::ConceptId	NL-CM:12.19.4	
DCM::DefinitionCode	SNOMED CT: 439771001 Date of event	
DCM::ExampleValue	02-03-2020	
Opties		

«data»	AnatomicalLocation	
Definitie	Indication and the laterality of the eye of which the visual acuity measurement relates to.	
Datatype		

DCM::ConceptId	NL-CM:12.19.5	
DCM::ExampleValue	Rechts	
DCM::ReferencedConceptId	NL-CM:20.7.1	This is a reference to the rootconcept of information model AnatomicalLocation.
Opties		

«document»	VisualAcuityMeasurementDeviceCodelist	
Definitie		
Datatype		
DCM::ValueSetBinding	Extensible	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.12.19.4	
DCM::ValueSetIncludeOTH	True	
DCM::ValueSetStatus	Active	
HCIM::ValueSetLanguage	--	
Opties		

VisusMeetHulpmiddelCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.19.4	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Pinhole visual acuity	419475002	SNOMED CT	2.16.840.1.113883.6.96	Met stenopeïsche opening (DEPRECATED)
Stenopeïsche opening	257492003	SNOMED CT	2.16.840.1.113883.6.96	Met stenopeïsche opening

«document»	VisualAcuityMeasurementChartCodelist	
Definitie		
Datatype		
DCM::ValueSetBinding	Extensible	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.12.19.3	
DCM::ValueSetIncludeOTH	True	
DCM::ValueSetStatus	Active	
HCIM::ValueSetLanguage	EN	
Opties		

VisusMetingKaartCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.19.3	
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Logarithmic E chart	1	VisusMeetkaart	2.16.840.1.113883.2.4.3.11.60.40.4.27.1	Logaritmische E-hakenkaart
Snellen chart	2	VisusMeetkaart	2.16.840.1.113883.2.4.3.11.60.40.4.27.1	Snellen Letterkaart
LEA Hayvarinen chart	3	VisusMeetkaart	2.16.840.1.113883.2.4.3.11.60.40.4.27.1	LEA symbolen kaart

«document»	VisusAcuityTypeCodelist	
Definitie		
Datatype		
DCM::ValueSetBinding	Extensible	
DCM::ValueSetId	2.16.840.1.113883.2.4.3.11.60.40.2.12.19.2	

DCM::ValueSetIncludeOTH	True			
DCM::ValueSetStatus	Active			
HCIM::ValueSetLanguage	--			
Opties				
VisusMetingTypeCodelijst				
OID: 2.16.840.1.113883.2.4.3.11.60.40.2.12.19.2				
Concept Name	Concept Code	Coding Syst. Name	Coding System OID	Description
Corrected visual acuity	397536007	SNOMED CT	2.16.840.1.113883.6.96	Gecorrigeerde visus (met eigen bril)
Uncorrected visual acuity	420050001	SNOMED CT	2.16.840.1.113883.6.96	Ongecorrigeerde visus
Best corrected visual acuity	419775003	SNOMED CT	2.16.840.1.113883.6.96	Best gecorrigeerde visus(met optimale bril)
Stereoscopic acuity	359750002	SNOMED CT	2.16.840.1.113883.6.96	Stereoscopische visus

	Legend
Definitie	
Datatype	
Opties	

1.8 Example Instances

Visus						
DatumTijd	MetingType	Decimale Visus	Meting Kaart	Afstand tot kaart	Lateraliteit	Meethulpmiddel
08-02-2020	Best gecorrigeerde visus	0.8	Snellen Letterkaart	5 meter	Links	
08-02-2020	Gecorrigeerde visus	1.0	logaritmische E-hakenkaart	3 meter	Rechts	Met stenopeische opening

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1.16 Functional Model

1.17 Traceability to other Standards

This health and care information model is based on the information model template Measurement- v1.0.

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is the independent national competence centre for electronic exchange of health and care information. The activities of Nictiz include the targeted development and management of information standards at the request of and in partnership with the stakeholders in healthcare. Nictiz advises these parties on all aspects of information exchange and identifies (future) national and international developments.

Nictiz

P.O. Box 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl



