

Health & Care Information Model:

nl.zorg.DOSScore-v1.2

Status: Final

Release: 2024

Release status: Published

Managed by:



Content

1. nl.zorg.DOSScore-v1.2	3
1.1 Revision History.....	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose.....	3
1.5 Patient Population	3
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances.....	9
1.9 Instructions.....	9
1.10 Interpretation	9
1.11 Care Process	9
1.12 Example of the Instrument	9
1.13 Constraints.....	9
1.14 Issues	9
1.15 References	9
1.16 Functional Model	10
1.17 Traceability to other Standards.....	10
1.18 Disclaimer	10
1.19 Terms of Use	10
1.20 Copyrights.....	10

1. nl.zorg.DOSScore-v1.2

DCM::CoderList	Werkgroep RadB Verpleegkundige Gegevens
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Werkgroep RadB Verpleegkundige Gegevens
DCM::CreationDate	11-10-2016
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.18.7
DCM::KeywordList	DOS, delier
DCM::LifecycleStatus	Final
DCM::ModelerList	Werkgroep RadB Verpleegkundige Gegevens
DCM::Name	nl.zorg.DOSScore
DCM::PublicationDate	25-04-2025
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	17-07-2023
DCM::Supersedes	nl.zorg.DOSScore-v1.1
DCM::Version	1.2
HCIM::PublicationLanguage	EN

1.1 Revision History

Publicatieversie 1.0 (04-09-2017)

Publicatieversie 1.1 (10-06-2022)

Bevat: ZIB-1674.

Publicatieversie 1.2 (15-10-2023)

Bevat: ZIB-1925, ZIB-1977, ZIB-1978.

1.2 Concept

The Delirium Observation Screening Scale is a tool to determine whether a patient has delirium. The DOSS includes 13 observations of behavior (verbal and non-verbal) which represent the symptoms of a delirium. These observations can be performed during regular contact with the patient.

1.3 Mindmap

1.4 Purpose

Delirium is one of the most forms of psychopathology among elderly patients and patients in the last phase of their lives. The main characteristic of delirium is the rapid onset and changing of symptoms. The DOSS is meant to qualify and quantify the nature and seriousness of delirium symptoms. This enables a quick start of treatment. The DOSS is used to signal risks and as an evaluation tool.


1.5 Patient Population

1.6 Evidence Base

The DOSS contains 13 observations of behaviour (verbal and non-verbal) that reflect the symptoms of delirium. These observations can be made during regular contacts with the patient. A total score is calculated per shift (minimum 0 and maximum 13). The total scores of three shifts (day, late and night shift) are added up to the total score of this day (minimum 0 and maximum 39). This HCIM defines the total score and underlying scores of one shift.

For a DOS scale final score, 3 instances of this HCIM, one for each shift, will have to be combined (DOS SCALE FINAL SCORE = TOTAL SCORE THIS DAY / 3). A DOS scale final score < 3 means that the patient is unlikely to be delirious. A DOS scale final score > 3 means the patient is likely to be delirious. DOS SCALE FINAL SCORE is not part of this concept and can be derived or calculated from the 3 HCIM instances.

1.7 Information Model



«rootconcept»	DOSScore	
Definitie	Root concept of the DOSScore information model. This root concept contains all data elements of the DOSScore information model.	
Datatype		
DCM::ConceptId	NL-CM:18.7.1	
DCM::DefinitionCode	SNOMED CT: 160591000146109 Delirium observation screening assessment scale	
Opties		

«data»	DOSScoreTotal	
Definitie	The total score for this shift (minimum 0 and maximum 13).	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.3	
DCM::DefinitionCode	SNOMED CT: 55681000146102 Delirium observation score	
Opties		
Constraint	Range: 0-13	

«data»	DOSScoreDateTime	
Definitie	The date on which the DOS score is registered.	
Datatype	TS	
DCM::ConceptId	NL-CM:18.7.5	
Opties		

«data»	DozesOff	
Definitie	DOS observation: patient dozes off during conversation or activities. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.6	
DCM::DefinitionCode	ScoreObservaties: 18007006 DOSScore DozesOff	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	EasilyDistracted	
Definitie	DOS observation: patient is easily distracted by stimuli from the environment. Someone is easily distracted by stimuli from the environment when he/she responds verbally or non-verbally to sounds or movements that have no relation to him/her and the nature of which does not make you expect a reaction from him/her. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.7	
DCM::DefinitionCode	ScoreObservaties: 18007007 DOSScore EasilyDistracted	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	MaintainsAttention	
Definitie	DOS observation: patient maintains attention to conversation or action. Someone is maintaining attention to a conversation or action if he/she verbally or non-verbally shows that they are following the conversation or action. Score: 1: never 0: sometimes-always (is the answer "don't know" then don't instantiate this concept)	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.8	
DCM::DefinitionCode	ScoreObservaties: 18007008 DOSScore MaintainsAttention	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»		UnfinishedQuestionAnswer	
Definitie	DOS observation: patient does not finish question or answer. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)		
Datatype	INT		
DCM::ConceptId	NL-CM:18.7.9		
DCM::DefinitionCode	ScoreObservaties: 18007009 DOSScore UnfinishedQuestionAnswer	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1	
Opties			

«data»		AnswersNoFit	
Definitie	DOS observation: patient gives answers that do not fit the question. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)		
Datatype	INT		
DCM::ConceptId	NL-CM:18.7.10		
DCM::DefinitionCode	ScoreObservaties: 18007010 DOSScore AnswersNoFit	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1	
Opties			

«data»		ReactsSlowly	
Definitie	DOS observation: patient reacts slowly to instructions. Someone reacts slowly to instructions when acting is delayed and/or there are moments of stillness/inactivity before moving into action. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)		
Datatype	INT		
DCM::ConceptId	NL-CM:18.7.11		
DCM::DefinitionCode	ScoreObservaties: 18007011 DOSScore ReactsSlowly	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1	
Opties			

«data»		ThinksSomewhereElse	
Definitie	DOS observation: patient thinks they are somewhere else. Someone thinks they are somewhere else when he/she shows this in words or actions. Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)		
Datatype	INT		
DCM::ConceptId	NL-CM:18.7.12		

DCM::DefinitionCode	ScoreObservaties: 18007012 DOSScore ThinksSomewhereElse	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	KnowsPartDay	
Definitie	<p>DOS observation: patient knows which part of the day it is.</p> <p>Someone knows what part of the day it is when he/she shows such in words or actions.</p> <p>Score: 1: never 0: sometimes-always (is the answer "don't know" then don't instantiate this concept)</p>	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.13	
DCM::DefinitionCode	ScoreObservaties: 18007013 DOSScore KnowsPartDay	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	RemembersRecent	
Definitie	<p>DOS observation: patient remembers recent events.</p> <p>Someone remembers recent events when he/she can for example tell whether they had visitors or what he/she ate.</p> <p>Score: 1: never 0: sometimes-always (is the answer "don't know" then don't instantiate this concept)</p>	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.14	
DCM::DefinitionCode	ScoreObservaties: 18007014 DOSScore RemembersRecent	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	Restless	
Definitie	<p>DOS observation: patient is picking, disorderly, restless.</p> <p>Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)</p>	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.15	
DCM::DefinitionCode	ScoreObservaties: 18007015 DOSScore Restless	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	PullsWires	
Definitie	<p>DOS observation: patient pulls IV tubing, feeding tubes, catheters, etc.</p> <p>Score: 0: never</p>	

	1: sometimes-always (is the answer "don't know" then don't instantiate this concept)	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.16	
DCM::DefinitionCode	ScoreObservaties: 18007016 DOSScore PullsWires	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	EasilyEmotional	
Definitie	<p>DOS observation: patient is easily or suddenly emotional.</p> <p>Someone is easily or suddenly emotional when he/she responds with a fierce emotion without provocation or when the fierceness of the emotion does not seem to match the provocation.</p> <p>Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)</p>	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.17	
DCM::DefinitionCode	ScoreObservaties: 18007017 DOSScore EasilyEmotional	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	Hallucinations	
Definitie	<p>DOS observation: patient sees/hears things which are not there.</p> <p>Someone sees/hears things which are not there when he/she shows this verbally (ask!) or non-verbally.</p> <p>Score: 0: never 1: sometimes-always (is the answer "don't know" then don't instantiate this concept)</p>	
Datatype	INT	
DCM::ConceptId	NL-CM:18.7.18	
DCM::DefinitionCode	ScoreObservaties: 18007018 DOSScore Hallucinations	OID: 2.16.840.1.113883.2.4.3.11.60.40.4.0.1
Opties		

«data»	Comment	
Definitie	Comment on the DOS score.	
Datatype	ST	
DCM::ConceptId	NL-CM:18.7.2	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Opties		

	Legend	
Definitie		
Datatype		
Opties		

1.8 Example Instances

DOSScore	
ZaktWeg	1
SnelAfgeleid	1
HeeftAandacht	0
VraagAntwoordNietAf	-
AntwoordenNietPassend	1
ReageertTraag	-
DenktErgensAnders	0
BeseftDagdeel	0
HerinnertRecent	0
Rusteloos	0
TrektDraden	0
SnelGeemotioneerd	1
Hallucinaties	0
DOSScoreTotaal	4
DOSScoreDatumTijd	19-12-2016 10:35
Toelichting	-

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. DOS vragenlijst. Beschikbaar op: <https://www.vmszorg.nl/wp-content/uploads/2017/07/DOSS-observatieschaal.pdf> [Geraadpleegd: 11 juli 2023].
2. Richtlijn Delier Volwassenen. Beschikbaar op: <https://www.venvn.nl/media/gteieurur/richtlijn-delier.pdf> [Geraadpleegd: 11 juli 2023].

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

The Health and Care Information Models (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of the Health and Care Information Models. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of a Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the Health and Care Information Models without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on the Health and Care Information Models.

1.20 Copyrights

A Health and Care Information Model qualifies as a work within the meaning of Section 10 of the Copyright Act (Auteurswet). Copyrights protect the Health and Care Information Models and these rights are owned by the cooperating parties.

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0).

The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

This does not apply to information from third parties that sometimes is used and / or referred to in a Health and Care Information Model, for example to an international medical terminology system. Any (copyright) rights that protect this information are not owned by the cooperating parties but by those third parties.

Nictiz is the independent national competence centre for electronic exchange of health and care information. The activities of Nictiz include the targeted development and management of information standards at the request of and in partnership with the stakeholders in healthcare. Nictiz advises these parties on all aspects of information exchange and identifies (future) national and international developments.

Nictiz

P.O. Box 19121
2500 CC Den Haag
Oude Middenweg 55
2491 AC Den Haag

070-3173450
info@nictiz.nl
www.nictiz.nl

